




Avalanche: Test_0001
 Start: 2010/11/12 20:33:15
 End: 2010/11/12 20:34:46
 Expected Test Duration (seconds): 90
 Actual Test Duration (seconds): 88

Description: Example of Source Complex Generic Device Test
 Version: 3.42.3016
 Results Version: 5.0


TCP Parameters	
IP4 Max Segment Size	1460
IP6 Max Segment Size	1440
Receive Window (bytes)	32768
Delayed Acks	ON
Delayed Ack Timeout (ms)	200
Delayed Ack Bytes	2920
Congestion Control	ON
Override RTT Calculation	OFF
Retransmit Timeout	n/a
Retries	2
Inactivity Timeout (ms)	0
Piggyback Get Requests	OFF

Proxy Configuration	
Enable Proxy Client	OFF
Enable Forms DB	OFF
Disable DNS Lookup	OFF
UseSameServer	ON
HTTP Proxy Server	0.0.0.0
HTTP Proxy Server Port	8080
SSL Proxy Server	0.0.0.0
SSL Proxy Server Port	8080
FTP Proxy Server	0.0.0.0
FTP Proxy Server Port	3128
Enable Proxy Header	OFF
Max. Connections	2
Enable Persistence	OFF
Max. Transactions	1


Network Profile	
Enable round robin DNS	OFF
IP Reassembly Timeout (ms)	30000




Top Level Summary




Real Time Statistics - Traffic




Real Time Statistics - Desired vs. Current




Real Time Statistics - Transactions Per Second




Real Time Statistics - Network Response Time vs. Load




Real Time Statistics - Network Errors vs. Load




Real Time Statistics - Page-URL Response Time vs. Load




Real Time Statistics - IPSec Tunnel Capacity



Real Time Statistics - IPSec Aggressive Mode Tunnel Setup Rate



Real Time Statistics - IPSec Main Mode Tunnel Setup Rate



Real Time Statistics - IPSec Tunnel Throughput

